Atty. Docket No.: CME/03-001

<u>In the Specification:</u>

In paragraph 0001, "60/_____" should read --60/489,775--.

In paragraph 0006, lines 4, 5, 8 and 9, paragraph 0010, line 4, and paragraph 0044, line 3, "tube"s" should read --tube--.

In paragraph 0009, line 3, "members.By" should read --members. By--.

In paragraph 0013, line 3 from the bottom, "in" (first occurrence) should read --is--.

In paragraph 0023, line 4, and paragraph 0049, line 6, "Nos.A1" should read --Nos. 2002/0127114 A1--

In paragraph 0023, line 5, "reference.The" should read --reference. The--.

In paragraph 0027, line 2, "steps:" should read --steps;--.

In paragraph 0033, line 5, "which:Fig." should read --which: Fig.--.

In paragraph 0033, line 7, "segmet;Fig." should read --segment; Fig.--.

In paragraph 0033, line 8, "set;Figs." should read --set; Figs.--.

In paragraph 0033, line 9, "pump"s operation;Fig." should read --pump's operation; Fig.--

In paragraph 0033, line 11, "type;Fig." should read --type; Fig.--.

In paragraph 0033, line 14, "90°;Fig." should read --90°; Fig.--.

In paragraph 0033, line 15, "andFig." should read --and Fig.--.

In paragraph 0035, line 2, "pivotsa" should read --pivots to a--.

In paragraph 0039, line 7 from the bottom, "pump"s" should read --pump's--.

In paragraph 0044, line 4 from the bottom and line 4, "tube"s" should read --tube's--.

In paragraph 0045, line 8, "receptaclethrough" should read --receptacle through--.

In paragraph 0045, line 5 from the bottom, "thereof 178" should read --178 thereof--.

In paragraph 0047, line 1, "Figs. 5 and 6" should read --Figs. 5, 6A and 6B--.

2

In paragraph 0047, line 6, "andbeing" should read --and being--.

In paragraph 0049, line 5, "No.A1" should read --

In paragraph 0051, line 1 and 2 from the bottom, "Februarythe" should read -- (February 7, 1997), the--.

In paragraph 0056, line 3, "Figuresubstantially" should read --Figure 7 substantially--.

In paragraph 0057, line 10 from the bottom, "(see Figure The" should read --(see Figure 8). The--.

In paragraph 0058, line 2, "Figureenergy" should read -- Figure 7, energy--.

In paragraph 0058, line 9, "0.25when" should read --0.25 when--.

In paragraph 0058, line 14, "Erroris" should read --error is--.

In paragraph 0058, line 14, "Figure Under" should read --Figure ...

In paragraph 0058, line 15 and line 17, "protocolthe" should read --protocol the--.

In paragraph 0058, line 19, "protocol Reducing" should read --protocol. Reducing--.

In paragraph 0058, line 21, "Errorbut" should read --error but--.

In paragraph 0059, line 1, "protocolthe" should read --protocol the--.

In paragraph 0059, line 3, "protocolfor" should read --protocol for--.

In paragraph 0059, line 6, "protocolwill" should read --protocol will--.

In paragraph 0060, line 3, "protocol In" should read --protocol. In--.

In paragraph 0060, line 4, "0.25 The" should read --0.25. The--.

In paragraph 0060, line 6, "protocolcompared" should read --protocol). compared--.

In paragraph 0060, line 8, "protocolUnder" should read --protocol). Under--.

In paragraph 0060, line 9, "protocolthe" should read --protocol the--.

In paragraph 0060, line 9, "tubingis" should read --tubing is--.

In paragraph 0060, line 11, "tubingmay" should read --tubing may--.

In paragraph 0061, line 1, "protocolthe" should read --protocol the--.

3

Atty. Docket No.: CME/03-001

In paragraph 0061, line 3 from the bottom, "Figure lf" should read —Figure...

In paragraph 0061, line 2 from the bottom, "jump""knock"cycles, Erroris" should read —"jump" or "knock" cycles, error is—.

In paragraph 0062, line 2, "protocolpreferably" should read —protocol preferably—.

In paragraph 0062, line 3, "protocolto" should read —protocol to—.

4